


# AMENDMENTS TO THE CLAIMS


This listing of claims will replace all prior versions and listings of claims in the application:

## LISTING OF CLAIMS:

1. (previously presented): A hyaluronic acid compound represented by the following formula (1)':



wherein  $R^0$  is a group represented by the following formula (1)'-a, -OH or -ONa,



wherein  $R^{01}$  is an alkenyl group having 10 to 28 carbon atoms, and  $n$  is an integer of 50 to 50,000, with the proviso that 1 to 100 % of  $R^0$  is the group represented by the above formula (1)'-a.


2. (original): The hyaluronic acid compound according to claim 1, wherein  $n$  is 300 to 30,000.

3. (previously presented): The hyaluronic acid compound according to claim 1, wherein two  $R^{01}CO$ -s in the formula (1)'-a are both oleoyl groups.


4. (original): A hydrogel of the hyaluronic acid compound of any one of claims 1 to 3.

5. (original): A molded form of the hyaluronic acid compound of any one of claims 1 to 3.

6. (previously presented): A joint treating material comprising a hyaluronic acid compound represented by the following formula (1):



wherein R is a group represented by the following formula (1)-a, -OH or -ONa,




wherein R<sup>1</sup> is an alkyl group or alkenyl group having 10 to 28 carbon atoms,


and n is an integer of 50 to 50,000, with the proviso that 1 to 100 % of R is the group represented by the above formula (1)-a.

7. (currently amended): The joint treating material according to claim 6, wherein R<sup>1</sup> is an alkyl group or alkenyl group having 14 to 20 carbon atoms and n is an integer of 1,000 to 10,000 ~~which has cartilage restoring ability.~~

8. (currently amended): A method of using a hyaluronic acid compound comprising ~~preparing~~ inserting a joint treating material prepared from a hyaluronic acid compound represented by the following formula (1):



wherein R is a group represented by the following formula (1)-a, -OH or -ONa,



wherein R<sup>1</sup> is an alkyl group or alkenyl group having 10 to 28 carbon atoms,

and n is an integer of 50 to 50,000, with the proviso that 1 to 100 % of R is the group represented by the above formula (1)-a,

into the joint of a patient.